

# Use of assistive technologies in daily life: A portrait of current knowledge

Pierre-Yves Therriault, Marie-Michèle Lord,  
Alexe Desaulnier, Galaad Lefay

## ABSTRACT

Assistive technologies (AT) are increasingly used in rehabilitation to support the fulfillment of client occupations, particularly the elderly. Indeed, the use of technology is now seen as an effective mean to meet various needs for this population. Several researches are concerned with assistive technologies, their use and design. This article aims to provide an overview of current knowledge about assistive technologies in rehabilitation. Several questions are addressed concerning the different actors concerned in the use of assistive technologies and the main families of AT considered in the literature. A synthesis of knowledge had been made with the methodology of interpretative approach of Pope et al. (2007). In addition to targeting the different actors of the technological continuum, this review found that a varied nomenclature and classification are used when it comes to assistive technologies. It also pointed out that the design

and use objectives of these technologies are different. Among other things, the study makes it possible to question the relevance of research in identifying a integrative model that can support the technological continuum and encourage the collaboration of various actors in order to adequately empower a person in the prospect of realizing meaningful occupations.

**Keywords:** Aging, Assistive Technology, Rehabilitation, Technology continuum

## How to cite this article

Therriault PY, Lord MM, Desaulnier A, Lefay G. Use of assistive technologies in daily life: A portrait of current knowledge. Edorium J Disabil Rehabil 2018;4:100044D05PT2018.

Article ID: 100044D05PT2018

\*\*\*\*\*

doi:10.5348/100044D05PT2018RA

Pierre-Yves Therriault<sup>1</sup>, Marie-Michèle Lord<sup>2</sup>, Alexe Desaulnier<sup>3</sup>, Galaad Lefay<sup>4</sup>

**Affiliations:** <sup>1</sup>Regular Professor, Occupational Therapy Department, Université du Québec à Trois-Rivières, Quebec, Canada; <sup>2</sup>Doctoral Candidate, Biomedical Sciences Program, Université du Québec à Trois-Rivières, Quebec, Canada; <sup>3</sup>Doctoral Candidate, Biomedical Sciences Program, Université du Québec à Trois-Rivières, Quebec, Canada; <sup>4</sup>Master Ergonomics Candidate, Université de Paris 5/Laboratory of research in ergology, Université du Québec à Trois-Rivières, Quebec, Canada.

**Corresponding Author:** Pierre-Yves Therriault, 3351, boul. des Forges, Quebec, Canada, G9A 5H7; Email: Pierre-Yves.Therriault@uqtr.ca

Received: 09 March 2018  
Accepted: 13 July 2018  
Published: 08 August 2018

## INTRODUCTION

The field of rehabilitation for people with physical, mental and cognitive difficulties involves the participation of different health workers (for example nurses, occupational therapists, doctors). These professionals intervene in order to promote the development or recovery of the autonomy of their clients in the perspective of a greater social engagement. Rehabilitation services are various and are offered in specialized public or private institutions. Whether for children, adolescents, adults or the elderly, a diverse population has different needs in terms of autonomy.

According to the World Health Organization (WHO) [1], over a billion people, which corresponds to 15% of the world's population, are estimated to live with disability. More specifically, people 15 years and older having significant difficulties in functioning represent between 110 million and 190 million people. Furthermore, still according to WHO, due to ageing populations and an increase in chronic health conditions, the rates of disability are increasing. Unfortunately, people with disabilities have, still at this day, greater unmet needs. Thus, in future years, the social and community services offered to this group will need to be better adapted [2].

In rehabilitation, several strategies, such as training for specific skills, compensation with members of the entourage, use of cognitive orthoses, are used to support individuals with limited autonomy. The use of assistive technologies is one of these strategies [3].

Assistive technologies are defined as any commercially acquired, modified, manufactured, or personalized object, device or system that is used to support a person with functional deficits in daily life [4]. In accordance with this proposal, the term technology used in this article refers, in our words, to "any technical object intended to prevent, compensate, alleviate or neutralize difficulties in an individual". Barlow, Singh, Bayer and Curry [5] demonstrated that technologies are associated with reduced consumption of health services, Bouchard [6] pointed out that the use of technologies leads to an improvement in the daily functioning of the elderly. Khosravi and Ghapanchi [7] indicate that positives impacts related to the use of technology affect not only individuals, but also those around them, especially the caregivers and relatives. In doing so, the use of technologies now appears to be an effective strategy for reducing social costs while at the same time leading to improvements in the quality of life of users [8]. Technological advances now make it possible to consider environments that can, among other things, compensate for disabilities, support the person in his desire for autonomy and increase his sense of security. However, it seems that the transition of technology between the different actors concerned in the field of rehabilitation is difficult.

## Objectives

The purpose of this paper is to provide an overview of current knowledge about assistive technologies in rehabilitation. More specifically, several questions are addressed: 1) What are the main actors encountered when it comes to the use of assistive technologies in daily life? 2) What are the main families of assistive technologies considered in the literature? 3) Why are these devices used?

## METHODS

A review of the literature was carried out in 2016 according to the approach proposed by Fink [9] in several stages: a) selection of the databases to be explored; b) inventorying of keywords and descriptors, c) use of purification strategies to refine the search, d) use of selection criteria to choose the relevant texts, e) knowledge of the content of the texts and finally, f) analysis and classification of texts.

The corpus was first compiled using the periodicals available on the databases: Academic Search Complete, CAIRN, CINAHL, Cochrane Library, Google Scholar, MEDLINE, OT Seeker, PsycInfo, Sciences Direct and Web of Science. In order to identify the relevant documentation in the different databases, the use of several descriptors or keywords was necessary. The following terms have been used: "assistive technology" and "accessibility" or "rehabilitat" or "autonomy" or "health and wellness" or "cognitive assistance" or "health" or "social participation".

In order to control the number of texts identified from the key words and descriptors and to define which ones to retain, three inclusion criteria were applied. The first consists of selecting texts from peer-reviewed journals for validity. The second, only the writings published between December 2000 and December 2015 in order to know the most recent conclusions available in the literature at this time (literature review conducted in 2016). The third was to keep only French and English language articles. Subsequently, after removing the duplicates, the identified articles were screened by three evaluators. The titles and summaries of the articles were examined in order to identify the texts judged most relevant to the subject of the research. Once the screening was completed, the full texts of the selected articles were obtained and read in order to verify more in depth, using an analysis grid, their eligibility and relevance to the research questions guiding this study. To extract the data, all the selected articles had been confronted to the analysis grid. Data such as: 1) The reference 2) The technology discussed 3) The country where the study was conducted 4) The language 5) The population discussed. Data categorization has been made and compare between two research group to ensure the fidelity of the latter.

## RESULTS

Results were presented in five separate sections. Firstly, details on the sample were identified. Subsequently, the results were presented according to the questions selected for this article: 1) actors involved with assistive technologies; 2) the main families of assistive technologies considered in the literature; the reasons why these technologies are developed and used.

## Sample

A total of 59 articles (Table 1) were selected after a specific process (Figure 1). The selected articles were from several countries: Germany (n = 1), Bulgaria (n = 1), Canada (n=3), China (n = 2), USA (n = 10), France (n = 9), Holland (n = 3), United Kingdom (n = 1), Sweden (n = 3), Switzerland (n = 1). The population concerned focus on childhood (n = 2), adult (n = 3), aging (n = 39) and all population mixed (n = 15). It can be seen that a wide range of nomenclature is used to describe assistive technologies.

Despite the presence of a very varied nomenclature when it comes to assistive technologies, three large families comprise the vast majority of the devices presented in the literature. These main families are Domotics, Adapted housing and Intelligent habitat. In each of these large families, different technologies are introduced (Figure 2).

## The technological continuum and its actors

Given that technology is from the outset a human creation, an object conceived, manufactured and used. It implies a process of use in which different actors are involved. In terms of Dejean & Naël, these actors interact together in a more or less flexible continuum. As part of this study, this continuum is referred to as the “technological continuum” and three main types of actors contribute to it: 1) designers; 2) facilitators; 3) consumers. First, the category of designers refers to people who design technological objects (eg computer scientists, engineers, mathematicians): their goal is to create devices that meet the needs of various stakeholders and consumers. The participants in this group are mostly in academic circles, in research and development departments, or work independently (inventor). The second category refers to facilitators. They are intermediaries between designers and consumers (eg sellers and distributors, health workers). They integrate technology into their actions with people with varying needs to carry out their occupations. Finally, the third category is that of consumers of technology. These are the people who are confronted with obstacles in carrying out their daily activities. In doing so, consumers mobilize a variety of assistive technologies to realize their daily business patterns and live in different living spaces, private or public, in the community.

## Design objectives

Four main goals guide the work of designers: ensuring safety and surveillance develop autonomy, providing comfort and supporting communication. The designer seeks as a first objective to ensure consumer safety and




Figure 1: Articles selection process.




Figure 2: Families of assistive technology.

surveillance [4, 16, 29, 45, 52]. Technological devices thus provide a safe environment for consumers in a given space, or in the expression of their behaviours. It is also expected that technological devices will provide a sense of security. The second goal is to develop the autonomy of consumers given their singular characteristics [6, 7, 10, 17, 29, 54]. In this case, the assistive technology aims to promote or compensate for a lack of autonomy for the performance of a particular task. The third goal is to provide maximum comfort to people with disabilities [3, 19]. The goal is that the consumer feels a physical and psychic well-being in a living space. Finally, the final goal of designers is to support communication [6, 19, 48, 54]. In this case, the technological devices are intended to enable the consumer to communicate with their relatives, or other community members.

Table 1: Description of Selected Articles (n = 59)

<b>Autors</b>	<b>Technologies reaches</b>	<b>Countries</b>	<b>Language</b>	<b>Population concerned</b>
Agree, 2014 [10]	Assistive technology	United States	English	Ageing Population
Balta-Ozkan, Davidson, Bickey, & Whitmarsch, 2013 [11]	Smart home	UK	English	All populations
Barlow, Singh, Bayer, & Curry, 2007 [5]	Telemedicine	UK	English	Frail elderly living at home with chronic illness
Bismuth, Villars, Durliat, Boyer, & Oustric, 2012 [12]	Gerontotechnology	France	French	Aging Population with Mild Cognitive Impairment and / or Alzheimer's
Bobillier-Chaumon et Opra-Ciobanu, 2009 [3]	Information and communication technology	France	French	The elderly
Bobillier-Chaumon, Cuvillier, Durif-Bruckert, Cros, Vanhille, & Salima, 2014 [13]	Home support technology	France	French	Elderly dependents at home
Leuty, et al., 2013 [14]	Support technology	Canada	English	Adult with dementia
Boll, Heuten, Meyer, & Meis, 2010 [15]	Multimodal recall system	Germany	English	Senior > 50 years
Bouchard, 2013 [6]	Smart home	Canada	French	Person with Alzheimer's
Brandt, Samuelsson, Töytäri, & Salminen, 2011 [16]	Smart home	Danmark	English	All populations
Brummel-Smith, & Dangiolo, 2009 [17]	Home support technology	United States	English	Elderly at home
Cao, Xie, Das, & Zhu, 2014 [18]	Robot to assist with stroke rehabilitation	New Zealand	English	Person with Stroke
Carbone et al., 2013 [19]	Walking assist devices	United States	English	Person in need of walking assistance
Chan, Estève, Escriba, & Campo, 2008 [20]	Smart home	China	English	Senior citizen and / or disabled person
Chan, Estève, Fourniols, Escriba, & Campo, 2012 [21]	Intelligent Portable Devices	China	English	All populations
Chau, Eaton, Lamont, Schwellnus, & Tam, 2006 [22]	Virtual reality	Canada	French	People with rehabilitation needs
Chen, & Chan, 2013 [23]	Gerontotechnology	China	English	The elderly
Chi et Demiris, 2015 [24]	Telemedicine	United States	English	Family caregiver
Craig, Moses, Tran, McIsaac, & Kirkup, 2002 [25]	Remote environment control system	Australia	English	Person with significant movement limitation
Cressot, 2013 [26]	Gerontechology	France	French	Elderly dependent or at risk of loss of autonomy
Culnaert, Galy, Chotard, & Tomas, 2009 [27]	Domotics	France	French	Elderly at home
De Craen, Westendorp, Willems, Buskens, & Gussekloo, 2006 [28]	Assistive technology	Netherlands	English	Senior > 85 years living at home
Demiris, & Hensel, 2008 [29]	Smart home	United States	English	Senior citizen and / or disabled person
Eaton et al., 2014 [30]	Telemedicine	United States	English	Population with chronic pain
Farrar, 2015 [31]	Telemedicine	United States	English	Person with mental health problem
Fok et al., 2011 [32]	Assistive technology	Canada	English	Adult with low vision
Gentry, 2009 [33]	Smart home	United States	English	All populations

Table 1: (Continued)

<b>Autors</b>	<b>Technologies reaches</b>	<b>Countries</b>	<b>Language</b>	<b>Population concerned</b>
Holz, Botrel, Kaufmann, & Kübler, 2015 [34]	Computer-brain interface	Germany	English	Woman with ALS
Ivanoff, & Sonn, 2005 [35]	Support devices for macular degeneration	Sweden	English	Elderly> 85 years at home - Macular degeneration
Karmarkar, Dicianno, Graham, Cooper, Kelleher, & Cooper, 2012 [36]	Mobility device	United States	English	Senior> 60 years
Khosravi, & Ghapanchi, 2015 [6]	Gerontechnology	United States	English	The elderly
Kristoffersson, Coradeschi, Loutfi, & Severinson-Eklundh, 2011 [37]	Robotic Telepresence System	Sweden	English	The elderly
Kueider, Parisi, Gross, & Rebok, 2012 [38]	Cognitive training on computer	United States	English	The elderly
Laila, 2009 [39]	Telemedicine	France	French	The elderly
Lange, Requejo, Flynn, Rizzo, Valero-Cuevas, Baker, & Winstein, 2010 [40]	Virtual reality	United States	English	An aging person with a disability
Laufer, Dar, & Kodesh, 2014 [41]	Nintendo Wii Exercise Program	United States	English	The elderly
Lockey, Jennings, & Shaw, 2010 [42]	Gerontecology	Canada	English	Senior> 60 years with hearing aids
Marchibroda, 2015 [43]	Gerontecology	United States	English	The elderly
Mehrabian, Extra, Wu, Pino, Traykov, & Rigaud, 2015 [44]	Telemedicine	Bulgaria	English	Elderly - Mild cognitive impairment and / or Alzheimer's disease
Melander-Wikam, Fältholm, & Gard, 2008 [45]	Mobile safety device	Sweden	English	The elderly
Melillo-Wikam et al., 2015 [46]	Portable electrocardiogram devices	Italy	English	Person with high blood pressure
Michel et Franco, 2014 [47]	Gerontechnology	Swiss	English	The elderly
Mickus, & Luz, 2002 [48]	Telemedicine	United States	English	The elderly
Nef et al., 2015 [49]	Passive infrared detectors	Swiss	English	The elderly
Nguyen, Demers, & Raymond, 2011 [50]	Assistive technology	Canada	French	Elderly with cognitive impairment
Noury, Virone, Barralon, Rialle, & Demongeot, 2004 [51]	Telemedicine	France	French	Elderly at home
Nygård, 2009 [52]	Home help device	Sweden	English	Elderly with cognitive impairment
Peetoom, Lexis, Joore, Dirksen, & De Witte, 2015 [53]	Monitoring technologies	Netherlands	English	The elderly
Piau, Campo, Rumeau, Vellas, & Nourhashémi, 2014 [54]	Gerontechnology	France	English	The elderly
Reeder, Meyer, Lazar, Chaudhuri, Thompson, & Demiris, 2013 [55]	Smart home	United States	English	The elderly
Rialle, Rumeau, Ollivet, Sabliera, & Hervé, 2014 [56]	Telemedicine	France	French	Fragile Elderly

Table 1: (Continued)

<b>Autors</b>	<b>Technologies reaches</b>	<b>Countries</b>	<b>Language</b>	<b>Population concerned</b>
Roy, 2012 [57]	Assistive technology	Canada	French	Elderly with cognitive impairment at home
Sakaki et al., 2013 [58]	Support Robots	Japan	English	Population with spinal cord injury
Salas-Lopez et al., 2012 [59]	Support Robots	Mexico	English	Population in Need of Rehabilitation
Sanford et al., 2007 [60]	Telemedicine	United States	English	The elderly
Soler et Trompette, 2010 [61]	Assistive technology	France	French	Epileptic Population
Thomas, Barker, Rubin, & Dahlmann-Noor, 2015 [62]	Assistive technology	UK	English	Population with low vision
Tuntland et al., 2009 [63]	Assistive technology	Norway	English	Population with rheumatoid arthritis
Van der Roest, Van der Roest, Wenborn, Dröes, & Orrell, 2012 [64]	Information and Communication Technologies	Netherlands	English	Elderly person with dementia

### Objectives of facilitators

Four main objectives guide the use of technologies by facilitators: improving functional abilities, assisting singular capacities, compensating for singular capacities and stimulating the functions of the person.

The primary goal is to stimulate the functions [10, 45]. This goal involves technological devices that encourage the realization of an activity by encouraging the consumer to act, to continue his action or to maintain an effort. The second goal is to improve functional abilities [13, 40, 42]. Several technological devices are selected in order to enable a consumer to develop his capacities or his functions and his field of action. The third goal is to assist the singular abilities [12, 15, 23]. Different technological devices are used with the view to support and assist the consumer in the pursuit of the tasks he wishes to initiate and carry out and which he is not fully capable of performing independently. The fourth and last goal is the compensation of singular abilities [15, 36–37, 53]. Some assistive technologies are identified to perform a task that the consumer cannot independently carry out.

### Recurring objectives in the literature

The data analysis allowed drawing the objectives pursued by the designers and facilitators. The recurring of some goals was identified and results indicated for the designer, the comfort goal is not so much considered. For the facilitators, the stimulation and the amelioration goals are more rarely approach.

### DISCUSSION

The aim of this article was to draw the picture of current knowledge about the use of assistive technologies in rehabilitation. Several questions were initially

formulated: what are the main families of assistive technologies considered in the literature? Why do designers develop these technologies? Why do facilitators mobilize these devices?

First, the synthesis of knowledge has brought to light an important nomenclature used to describe the technologies. It appears that when a single entity is treated in a set of domains as in the field of assistive technology, the associated evidence can take all sorts of directions. As Piau, and his collaborators [54] point out, this can cause confusion.

Second, a divergence in the aims between designers and facilitators is found. Designers tend to create technologies with the main objectives: 1) to provide security and surveillance, 2) to develop autonomy, 3) to provide comfort, and 4) to support communication. While facilitators, acting as intermediaries between designers and technology users, integrate technology into their actions for the person with rehabilitation needs, while also pursuing four main objectives: 1) to improve functional abilities, 2) to assist singular capacities, 3) to compensate for singular abilities, and 4) to stimulate the person’s functions. For both groups of actors, the objectives differ and do not always seem to correspond. However, the analysis of scientific literature shows that very little, if any, model seems to support the use of assistive technologies across the technological continuum. Indeed, the various actors of this continuum do not seem to mobilize a transversal model which would not only standardize the terms used but also guide the design and use objectives. Perhaps the absence of a model guiding the technological continuum could explain the divergence between the objectives currently pursued? This may constitute a barrier to collaboration between technology creators and rehabilitation practitioners and may indicate that stakeholders do not use assistive technology in the same way as the function for which

they are created. For example, there is a growing body of research on the potential drift in the use of social media between physicians and their patients, initially created for the general public and now increasingly used to reach clients in remote areas [65].

Moreover, this review of the literature also highlighted that decision-makers are not currently actors involved in the technological continuum. This group of actors refers, for example, to governments and granting agencies that govern technological development. Yet, from a collaborative perspective, it is important to guide the actions of different actors, not only with conceptual frameworks and models, but also with clear policies. Mobilization of all, including decision-makers, seems essential to anchor best practices and foster collaboration.

### Strengths and limitations

To begin, the study is focused on the occidental countries with just two Asian articles. This could be explained by the aging of population, the culture and the socio-economics favourable conditions. It could be interesting to focus a new study to try to understand if the culture or the country could impact the results of this study.

The results of this synthesis of knowledge should be analyzed with caution due to methodological constraints, in particular because of inclusion criteria based on peer review in scientific journals, the number of articles studied which remains limited given the disciplinary fields concerned and the fact that the articles selected do not cover all the possible experiences. On the other hand, this article is a first step towards a better understanding of the vast field of assistive technology, a constantly expanding and innovative field of daily activities in private and public spaces public.

### CONCLUSION

The purpose of this article was to conduct a review on assistive technologies literature in rehabilitation to better understand the motivations of the main actors who design and use them in everyday life. Given the different objectives pursued by the actors involved, it seems legitimate to ask whether an integrating concept would document in a more homogeneous manner the development, use and evaluation of assistive technologies. It is now necessary to ensure that designers have the necessary tools to oversee their development.

### REFERENCES

1. World Health Organization. World report on disability. [Available at: [http://www.who.int/disabilities/world\\_report/2011/report.pdf](http://www.who.int/disabilities/world_report/2011/report.pdf)]

2. Ministry of health and social services (MSSS). Strategic Plan: 2015-2020, Québec, MSSS, 2015. [Available at: <http://publications.msss.gouv.qc.ca/msss/document-001550/>]
3. Bobillier-Chaumon ME, Ciobanu RO. The news technologies serving the elderly: Between promises and questions-a review of questions. *French Psychology* 2009;54(3):271-85.
4. Edyburn DL. Measuring assistive technology outcomes in reading. *Journal of Special Education Technology* 2004;19(1):60-4.
5. Barlow J, Singh D, Bayer S, Curry R. A systematic review of the benefits of home telecare for frail elderly people and those with long-term conditions. *J Telemed Telecare* 2007;13(4):172-9.
6. Bouchard, B. Technology research assistance for the home support Alzheimer's disease. Research Day FRQNT, 2013, Sherbrooke, Quebec. [Available at: [http://www.frqnt.gouv.qc.ca/documents/10179/464663/2013\\_JDLR-Bouchard.pdf/cacff918-b4c8-4b46-91d0-0e753d8225b6](http://www.frqnt.gouv.qc.ca/documents/10179/464663/2013_JDLR-Bouchard.pdf/cacff918-b4c8-4b46-91d0-0e753d8225b6)]
7. Khosravi P, Ghapanchi AH. Investigating the effectiveness of technologies applied to assist seniors: A systematic literature review. *Int J Med Inform* 2016 Jan;85(1):17-26.
8. Reeder B, Meyer E, Lazar A, Chaudhuri S, Thompson HJ, Demiris G. Framing the evidence for health smart homes and home-based consumer health technologies as a public health intervention for independent aging: A systematic review. *Int J Med Inform* 2013 Jul;82(7):565-79.
9. Fink A. Doing the Review: A reader's guide chapter. In: Fink A, editor. *Conducting Research Literature Reviews: From the Internet to Paper*. 4ed. Los Angeles: Sage; 2013. p. 93-115.
10. Agree EM. The potential for technology to enhance independence for those aging with a disability. *Disabil Health J* 2014 Jan;7(1 Suppl):S33-9.
11. Balta-Ozkan N, Davidson RB, Bicket M, Whitmarsch L. Social barriers to the adoption of smart homes. [Artical in French]. *Energy Policy* 2013;63:363-74.
12. Bismuth S, Villars H, Durliat I, Boyer P, Oustric S. Gerontotechnologies likely to enable patients with soft cognitive deficit and alzheimer's disease at the light stage to stay home. *The books of the gerontological year* 2012;4(3):310-19.
13. Bobillier-Chaumon MÉ, Cuvillier B, Durif-Bruckert C, Cros F, Vanhille M, Salima B. Designing a Ambient technology for home support: a prospective approach by taking into account activity systems. *Human work* 2014;77(1):39-62.
14. Leuty V, Boger J, Young L, Hoey J, Mihailidis A. Engaging older adults with dementia in creative occupations using artificially intelligent assistive technology. *Assist Technol* 2013;25(2):72-9.
15. Boll S, Heuten W, Meyer EM, Meis M. Development of a multimodal reminder system for older persons in their residential home. *Inform Health Soc Care* 2010 Sep-Dec;35(3-4):104-24.
16. Brandt A, Samuelsson K, Töytäri O, Salminen AL. Activity and participation, quality of life and user satisfaction outcomes of environmental control systems and smart home technology: A systematic

- review. *Disabil Rehabil Assist Technol* 2011;6(3):189–206.
17. Brummel-Smith K, Dangiolo M. Assistive technologies in the home. *Clin Geriatr Med* 2009 Feb;25(1):61–77, vi.
  18. Cao J, Xie SQ, Das R, Zhu GL. Control strategies for effective robot assisted gait rehabilitation: The state of art and future prospects. *Med Eng Phys* 2014 Dec;36(12):1555–66.
  19. Carbone LD, Satterfield S, Liu C, et al. Assistive walking device use and knee osteoarthritis: Results from the health, aging and body composition study (Health ABC Study). *Arch Phys Med Rehabil* 2013 Feb;94(2):332–9.
  20. Chan M, Estève D, Escriba C, Campo E. A review of smart homes- present state and future challenges. *Comput Methods Programs Biomed* 2008 Jul;91(1):55–81.
  21. Chan M, Estève D, Fourniols JY, Escriba C, Campo E. Smart wearable systems: Current status and future challenges. *Artif Intell Med* 2012 Nov;56(3):137–56.
  22. Chau T, Eaton C, Lamont A, Schweltnus H, Tam C. Increased environments for pediatric rehabilitation. *Technology and Disability* 2006;18(4):167–71.
  23. Chen K, Chan AH. Use or non-use of gerontechnology—a qualitative study. *Int J Environ Res Public Health* 2013 Sep 30;10(10):4645–66.
  24. Chi NC, Demiris G. A systematic review of telehealth tools and interventions to support family caregivers. *J Telemed Telecare* 2015 Jan;21(1):37–44.
  25. Craig A, Moses P, Tran Y, McIsaac P, Kirkup L. The effectiveness of a hands-free environmental control system for the profoundly disabled. *Arch Phys Med Rehabil* 2002 Oct;83(10):1455–8.
  26. Cressot V. New technologies: Interest in the care of dependent elderly people or at risk of loss of autonomy. *Bordeaux: MPR*, 2013. [Available at: <https://docplayer.fr/3094235-Nouvelles-technologies.html>]
  27. Culnaert E, Galy S, Chotard A, Tomas J. Seniors and dependence: Home automation at the service home support. *The Aquitaine* 2009 21:9–16.
  28. de Craen AJ, Westendorp RG, Willems CG, Buskens IC, Gussekloo J. Assistive devices and community-based services among 85-year-old community-dwelling elderly in The Netherlands: ownership, use, and need for intervention. *Disabil Rehabil Assist Technol* 2006 Jun;1(3):199–203.
  29. Demiris G, Hensel BK. Technologies for an aging society: A systematic review of “smart home” applications. *Yearb Med Inform* 2008:33–40.
  30. Eaton LH, Gordon DB, Wyant S, et al. Development and implementation of a telehealth-enhanced intervention for pain and symptom management. *Contemp Clin Trials* 2014 Jul;38(2):213–20.
  31. Farrar FC. Transforming home health nursing with telehealth technology. *Nurs Clin North Am* 2015 Jun;50(2):269–81.
  32. Fok D, Polgar JM, Shaw L, Jutai JW. Low vision assistive technology device usage and importance in daily occupations. *Work* 2011;39(1):37–48.
  33. Gentry T. Smart homes for people with neurological disability: State of the art. *NeuroRehabilitation* 2009;25(3):209–17.
  34. Holz EM, Botrel L, Kaufmann T, Kübler A. Long-term independent brain-computer interface home use improves quality of life of a patient in the locked-in state: A case study. *Arch Phys Med Rehabil* 2015 Mar;96(3 Suppl):S16–26.
  35. Dahlin Ivanoff S, Sonn U. Assistive devices in activities of daily living used by persons with age-related macular degeneration: A population study of 85-year-olds living at home. *Scand J Occup Ther* 2005 Mar;12(1):10–7.
  36. Karmarkar AM, Dicianno BE, Graham JE, Cooper R, Kelleher A, Cooper RA. Factors associated with provision of wheelchairs in older adults. *Assist Technol* 2012;24(3):155–67.
  37. Kristoffersson A, Coradeschi S, Loutfi A, Severinson-Eklundh K. An exploratory study of health professionals’ attitudes about robotic telepresence technology. *Journal of Technology in Human Services* 2011;29(4):263–83.
  38. Kueider AM, Parisi JM, Gross AL, Rebok GW. Computerized cognitive training with older adults: A systematic review. *PLoS One* 2012;7(7):e40588.
  39. Laila M. Telemedicine and technologies assistance for the care of people frail elderly at home and in institutions: modeling need, prescription and follow-up (Doctoral dissertation). Grenoble: Joseph-Fourier University, 2009. [Available at: <https://tel.archives-ouvertes.fr/tel-00593411/document>]
  40. Lange BS, Requejo P, Flynn SM, et al. The potential of virtual reality and gaming to assist successful aging with disability. *Phys Med Rehabil Clin N Am* 2010 May;21(2):339–56.
  41. Laufer Y, Dar G, Kodesh E. Does a Wii-based exercise program enhance balance control of independently functioning older adults? A systematic review. *Clin Interv Aging* 2014 Oct 23;9:1803–13.
  42. Lockey K, Jennings MB, Shaw L. Exploring hearing aid use in older women through narratives. *Int J Audiol* 2010 Aug;49(8):542–9.
  43. Marchibroda JM. New technologies hold great promise for allowing older adults to age in place. *Generations* 2015;39(1):52–5.
  44. Mehrabian S, Extra J, Wu YH, Pino M, Traykov L, Rigaud AS. The perceptions of cognitively impaired patients and their caregivers of a home telecare system. *Med Devices (Auckl)* 2014 Dec 19;8:21–9.
  45. Melander-Wikman A, Fältholm Y, Gard G. Safety vs. privacy: Elderly persons’ experiences of a mobile safety alarm. *Health Soc Care Community* 2008 Jul;16(4):337–46.
  46. Melillo P, Castaldo R, Sannino G, Orrico A, de Pietro G, Pecchia L. Wearable technology and ECG processing for fall risk assessment, prevention and detection. *Conf Proc IEEE Eng Med Biol Soc* 2015;2015:7740–3.
  47. Michel JP, Franco A. Geriatricians and technology. *J Am Med Dir Assoc* 2014 Dec;15(12):860–2.
  48. Mickus MA, Luz CC. Televisits: sustaining long distance family relationships among institutionalized elders through technology. *Aging Ment Health* 2002 Nov;6(4):387–96.
  49. Nef T, Urwyler P, Büchler M, et al. Evaluation of three state-of-the-art classifiers for recognition of activities



- of daily living from smart home ambient data. *Sensors (Basel)* 2015 May 21;15(5):11725–40.
50. Nguyen NPC, Nguyen NPC. Directory of technical aids for the elderly with cognitive impairment and living in the community. Montreal: University of Montreal, 2011. [Available at: [http://criugm.qc.ca/gerontech/data/uploads/ressources/repertoire\\_aides\\_techniques.pdf](http://criugm.qc.ca/gerontech/data/uploads/ressources/repertoire_aides_techniques.pdf)]
  51. Noury N, Virone G, Barralon P, Rialle V, Demongeot J. Smart houses for seniors: Information technology integrated home care service. *Journal on the teaching of science and technology of information and systems* 2004;3(HS1):1–11.
  52. Nygård L. The stove timer as a device for older adults with cognitive impairment or dementia: Different professionals' reasoning and actions. *Technology and Disability* 2009;21(3):53–66.
  53. Peetoom KK, Lexis MA, Joore M, Dirksen CD, De Witte LP. Literature review on monitoring technologies and their outcomes in independently living elderly people. *Disabil Rehabil Assist Technol* 2015 Jul;10(4):271–94.
  54. Piau A, Campo E, Rumeau P, Vellas B, Nourhashemi F. Aging society and gerontechnology: A solution for an independent living? *J Nutr Health Aging* 2014 Jan;18(1):97–112.
  55. Reeder B, Meyer E, Lazar A, Chaudhuri S, Thompson HJ, Demiris G. Framing the evidence for health smart homes and home-based consumer health technologies as a public health intervention for independent aging: A systematic review. *Int J Med Inform* 2013 Jul;82(7):565–79.
  56. Rialle V, Rumeau P, Ollivet C, Sabliera J, Herve C. Telemedicine and gerontechnology for Alzheimer's disease: Need for international steering through ethics. *International Journal of Bioethics* 2014;25(3):127–45.
  57. Roy PC. Mode the possibilist for the recognition of activities: Intelligent habitat. Sherbrooke: University of Sherbrooke; 2012. [Available at: <https://savoirs.usherbrooke.ca/bitstream/handle/11143/5171/NR83343.pdf?sequence=1&isAllowed=y>]
  58. Sakaki T, Ushimi N, Aoki K, et al. Rehabilitation robots assisting in walking training for SCI patient. In: *IEEE Engineering in Medicine and Biology Society (EMBS), editor. 35th Annual International Conference. Piscataway: EMBS; 2013. p. 814–9.*
  59. Salas-López, G, Sandoval-González O, Herrera-Aguilar I, Martínez-Sibaja A, Portillo-Rodríguez O, Vilchis-González A. Design and development of a planar robot for upper extremities rehabilitation with visuo-vibrotactile feedback. *Procedia Technology* 2012;3:147–56.
  60. Sanford JA, Hoenig H, Griffiths PC, Butterfield T, Richardson P, Hargraves K. A comparison of televideo and traditional in-home rehabilitation in mobility impaired older adults. *Physical & Occupational Therapy in Geriatrics* 2007;25(3):1–18.
  61. Soler J, Trompete P. A technology for health: Traces and expertise. *Anthropology of Knowledge Review* 2010;4(2):323–57.
  62. Thomas R, Barker L, Rubin G, Dahlmann-Noor A. Assistive technology for children and young people with low vision. *Cochrane Database Syst Rev* 2015 Jun 18;(6):CD011350.
  63. Tuntland H, Kjekken I, Nordheim LV, Falzon L, Jamtvedt G, Hagen KB. Assistive technology for rheumatoid arthritis. *Cochrane Database Syst Rev* 2009 Oct 7;(4):CD006729.
  64. Van der Roest HG, Wenborn J, Pastink C, Dröes RM, Orrell M. Assistive technology for memory support in dementia. *Cochrane Database Syst Rev* 2017 Jun 11;6:CD009627.
  65. Dejean PH, Naël M. product ergonomics. In: Falzon P, editor. *Ergonomics*. Paris: PUF; 2004. p. 463–77.

\*\*\*\*\*

### Acknowledgements

Funded by the Social Sciences and Humanities Research Council of Canada.

### Author Contributions

Pierre-Yves Therriault – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Marie-Michèle Lord – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Alexe Desaulniers – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content, Final approval of the version to be published

Galaad Lefay – Substantial contributions to conception and design, Acquisition of data, Analysis and interpretation of data, Drafting the article, Revising it critically for important intellectual content Final approval of the version to be published

### Guarantor of Submission

The corresponding author is the guarantor of submission.

### Source of Support

None.

### Consent Statement

Written informed consent was obtained from the patient for publication of this study.

### Conflict of Interest

Authors declare no conflict of interest.

**Copyright**

© 2018 Pierre-Yves Therriault et al. This article is distributed under the terms of Creative Commons Attribution License which permits unrestricted use,

distribution and reproduction in any medium provided the original author(s) and original publisher are properly credited. Please see the copyright policy on the journal website for more information.

Access full text article on  
other devices



Access PDF of article on  
other devices

